

Microsoft (R) Windows Debugger Version 6.11.0001.404 X86

Copyright (c) Microsoft Corporation. All rights reserved.

Loading Dump File [C:\Windows\Minidump\061910-39655-01.dmp]

Mini Kernel Dump File: Only registers and stack trace are available

Symbol search path is: *** Invalid ***

* Symbol loading may be unreliable without a symbol search path. *

* Use .symfix to have the debugger choose a symbol path. *

* After setting your symbol path, use .reload to refresh symbol locations. *

Executable search path is:

* Symbols can not be loaded because symbol path is not initialized. *

* *

* The Symbol Path can be set by: *

* using the _NT_SYMBOL_PATH environment variable. *

* using the -y <symbol_path> argument when starting the debugger. *

* using .sympath and .sympath+ *

Unable to load image ntoskrnl.exe, Win32 error 0n2

*** WARNING: Unable to verify timestamp for ntoskrnl.exe

*** ERROR: Module load completed but symbols could not be loaded for ntoskrnl.exe

Windows 7 Kernel Version 7600 MP (4 procs) Free x64

Product: WinNt, suite: TerminalServer SingleUserTS

Machine Name:

Kernel base = 0xfffff800`02e59000 PsLoadedModuleList = 0xfffff800`03091e50

Debug session time: Sat Jun 19 19:15:27.044 2010 (GMT+1)

System Uptime: 0 days 8:14:04.994

* Symbols can not be loaded because symbol path is not initialized. *

* *

* The Symbol Path can be set by: *

* using the _NT_SYMBOL_PATH environment variable. *

* using the -y <symbol_path> argument when starting the debugger. *

* using .sympath and .sympath+ *

Unable to load image ntoskrnl.exe, Win32 error 0n2

*** WARNING: Unable to verify timestamp for ntoskrnl.exe

*** ERROR: Module load completed but symbols could not be loaded for ntoskrnl.exe

Loading Kernel Symbols

.....

.....

.....

Loading User Symbols

Loading unloaded module list

.....

* *

* Bugcheck Analysis *

* *

Use !analyze -v to get detailed debugging information.

BugCheck 7A, {fffff6fc40020b30, ffffffff00000056, c3bfb860, fffff88004166038}

Unable to load image dxgkrnl.sys, Win32 error 0n2

*** WARNING: Unable to verify timestamp for dxgkrnl.sys

*** ERROR: Module load completed but symbols could not be loaded for dxgkrnl.sys

**** Kernel symbols are WRONG. Please fix symbols to do analysis.

*** Your debugger is not using the correct symbols ***

*** In order for this command to work properly, your symbol path ***

*** must point to .pdb files that have full type information. ***

*** Certain .pdb files (such as the public OS symbols) do not ***

*** contain the required information. Contact the group that ***

*** provided you with these symbols if you need this command to ***

*** work. ***

*** Type referenced: nt!_KPRCB ***

*** Your debugger is not using the correct symbols ***

*** In order for this command to work properly, your symbol path ***

*** must point to .pdb files that have full type information. ***

*** Certain .pdb files (such as the public OS symbols) do not ***

*** contain the required information. Contact the group that ***

*** provided you with these symbols if you need this command to ***

*** work. ***

*** Type referenced: nt!KPRCB ***

*** Your debugger is not using the correct symbols ***

*** In order for this command to work properly, your symbol path ***

*** must point to .pdb files that have full type information. ***

*** Certain .pdb files (such as the public OS symbols) do not ***

*** contain the required information. Contact the group that ***

*** provided you with these symbols if you need this command to ***

```
*** work. ***

***

*** Type referenced: nt!_KPRCB ***

***

*****

*****

***

***

*** Your debugger is not using the correct symbols ***

***

*** In order for this command to work properly, your symbol path ***

*** must point to .pdb files that have full type information. ***

***

*** Certain .pdb files (such as the public OS symbols) do not ***

*** contain the required information. Contact the group that ***

*** provided you with these symbols if you need this command to ***

*** work. ***

***

*** Type referenced: nt!KPRCB ***

***

*****

*****

***

***

*** Your debugger is not using the correct symbols ***

***

*** In order for this command to work properly, your symbol path ***
```

*** must point to .pdb files that have full type information. ***

*** Certain .pdb files (such as the public OS symbols) do not ***

*** contain the required information. Contact the group that ***

*** provided you with these symbols if you need this command to ***

*** work. ***

*** Type referenced: nt!_KPRCB ***

*** Your debugger is not using the correct symbols ***

*** In order for this command to work properly, your symbol path ***

*** must point to .pdb files that have full type information. ***

*** Certain .pdb files (such as the public OS symbols) do not ***

*** contain the required information. Contact the group that ***

*** provided you with these symbols if you need this command to ***

*** work. ***

*** Type referenced: nt!_KPRCB ***

```
***                                     ***

***                                     ***

*** Your debugger is not using the correct symbols ***

***                                     ***

*** In order for this command to work properly, your symbol path ***
*** must point to .pdb files that have full type information. ***

***                                     ***

*** Certain .pdb files (such as the public OS symbols) do not ***
*** contain the required information. Contact the group that ***
*** provided you with these symbols if you need this command to ***
*** work. ***

***                                     ***

*** Type referenced: nt!_KPRCB ***

***                                     ***

*****
*****

***                                     ***

***                                     ***

*** Your debugger is not using the correct symbols ***

***                                     ***

*** In order for this command to work properly, your symbol path ***
*** must point to .pdb files that have full type information. ***

***                                     ***

*** Certain .pdb files (such as the public OS symbols) do not ***
*** contain the required information. Contact the group that ***
*** provided you with these symbols if you need this command to ***
*** work. ***
```

```

***                                     ***

***   Type referenced: nt!_KPRCB                                     ***

***                                     ***

*****

*****

* Symbols can not be loaded because symbol path is not initialized. *

*                                     *

* The Symbol Path can be set by:                                     *

*   using the _NT_SYMBOL_PATH environment variable.                 *

*   using the -y <symbol_path> argument when starting the debugger. *

*   using .sympath and .sympath+                                     *

*****

*****

* Symbols can not be loaded because symbol path is not initialized. *

*                                     *

* The Symbol Path can be set by:                                     *

*   using the _NT_SYMBOL_PATH environment variable.                 *

*   using the -y <symbol_path> argument when starting the debugger. *

*   using .sympath and .sympath+                                     *

*****

Probably caused by : dxgkrnl.sys ( dxgkrnl+71038 )

```

Followup: MachineOwner
