

Plug-ins

Plug-ins (17)

 Details

Flash (2 files) - Version: 11.4.31.110
Shockwave Flash 11.4 r31

Name: Shockwave Flash
Description: Shockwave Flash 11.4 r31
Version: 11.4.31.110
Location: C:\Program Files (x86)\Google\Chrome\Application\22.0.1229.94\PepperFlash\pepflashplayer.dll
Type: PPAPI (out-of-process)

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-shockwave-flash	Shockwave Flash	.swf
	application/futuresplash	FutureSplash Player	.spl

Name: Shockwave Flash
Description: Shockwave Flash 10.0 r32
Version: 10,0,32,18
Location: C:\Windows\system32\Macromed\Flash\NPSWF32.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-shockwave-flash	Adobe Flash movie	.swf
	application/futuresplash	FutureSplash movie	.spl

[Disable](#)

☐ Always allowed

Chrome Remote Desktop Viewer

This plugin allows you to securely access other computers that have been shared with you. To use this plugin you must first install the [Chrome Remote Desktop](#) webapp.

Name: Chrome Remote Desktop Viewer
Description: This plugin allows you to securely access other computers that have been shared with you. To use this plugin you must first install the [Chrome Remote Desktop](#) webapp.

Version:
Location: internal-remoting-viewer
Type: PPAPI (in-process)

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/vnd.chromium.remoting-viewer		.

[Disable](#)

☐ Always allowed

Native Client

Name: Native Client
Version:
Location: C:\Program Files (x86)\Google\Chrome\Application\22.0.1229.94\ppGoogleNaClPluginChrome.dll
Type: PPAPI (in-process)

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-nacl	Native Client Executable	.nexe

[Disable](#)

☐ Always allowed

Chrome PDF Viewer

Name: Chrome PDF Viewer
Version:
Location: C:\Program Files (x86)\Google\Chrome\Application\22.0.1229.94\pdf.dll
Type: PPAPI (in-process)

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/pdf	Portable Document Format	.pdf
	application/x-google-chrome-print-preview-pdf	Portable Document Format	.pdf

[Disable](#)

☐ Always allowed

Skype Click to Call - Version: 6.2.0.10687
Skype Click to Call for Chrome
Name: Skype Click to Call
Description: Skype Click to Call for Chrome
Version: 6.2.0.10687
Location: C:\Users\shannon\AppData\Local\Google\Chrome\User Data\Default\Extensions\lfbcbilhkdhofajfnlhfpfgnpldfl\6.2.0.10687_0\npSkypeChromePlugin.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-vnd.skype.click2call.chrome.5.7.0	Skype Click to Call	

[Disable](#)

☐ Always allowed

Adobe Acrobat - Version: 9.5.2.295 (Disabled)
Adobe PDF Plug-In For Firefox and Netscape "9.5.2"
Name: Adobe Acrobat
Description: Adobe PDF Plug-In For Firefox and Netscape "9.5.2"
Version: 9.5.2.295
Location: C:\Program Files (x86)\Adobe\Reader 9.0\Reader\Browser\nppdf32.dll
Type: NPAPI

[Enable](#)

MIME types:	MIME type	Description	File extensions
	application/pdf	Acrobat Portable Document Format	.pdf
	application/vnd.adobe.pdfxml	Adobe PDF in XML Format	.pdfxml
	application/vnd.adobe.x-mars	Adobe PDF in XML Format	.mars
	application/vnd.fdf	Acrobat Forms Data Format	.fdf
	application/vnd.adobe.xfdf	XML Version of Acrobat Forms Data Format	.xfdf
	application/vnd.adobe.xdp+xml	Acrobat XML Data Package	.xdp
	application/vnd.adobe.xfd+xml	Adobe FormFlow99 Data File	.xfd

[Enable](#)

☐ Always allowed

QuickTime (7 files) - Version: 7.7.1 (1680.42)
The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.

Name: QuickTime Plug-in 7.7.1
Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.
Version: 7.7.1 (1680.42)
Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/sdp	SDP stream descriptor	.sdp
	application/x-sdp	SDP stream descriptor	.sdp
	application/x-rtsp	RTSP stream descriptor	.rtsp .rts
	video/quicktime	QuickTime Movie	.mov .qt .mqv
	video/flc	AutoDesk Animator (FLC)	.flc .fli .cel
	audio/x-wav	WAVE audio	.wav .bwf
	audio/wav	WAVE audio	.wav .bwf

Name: QuickTime Plug-in 7.7.1
Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.
Version: 7.7.1 (1680.42)
Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin2.dll

Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	audio/aiff	AIFF audio	.aiff .aif .aifc .cdda
	audio/x-aiff	AIFF audio	.aiff .aif .aifc .cdda
	audio/basic	uLaw/AU audio	.au .snd .ulw
	audio/mid	MIDI	.mid .midi .smf .kar
	audio/x-midi	MIDI	.mid .midi .smf .kar
	audio/midi	MIDI	.mid .midi .smf .kar
	audio/vnd.qcelp	QUALCOMM PureVoice audio	.qcp

Name: QuickTime Plug-in 7.7.1

Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.

Version: 7.7.1 (1680.42)

Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin3.dll

Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	audio/x-gsm	GSM audio	.gsm
	audio/amr	AMR audio	.AMR
	audio/aac	AAC audio	.aac .adts
	audio/x-aac	AAC audio	.aac .adts
	audio/x-caf	CAF audio	.caf
	audio/ac3	AC3 audio	.ac3
	audio/x-ac3	AC3 audio	.ac3
	video/x-mpeg	MPEG media	.mpeg .mpg .m1s .m1v .m1a .m75 .m15 .mp2 .mpm .mpv .mpa

Name: QuickTime Plug-in 7.7.1

Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.

Version: 7.7.1 (1680.42)

Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin4.dll

Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	video/mpeg	MPEG media	.mpeg .mpg .m1s .m1v .m1a .m75 .m15 .mp2 .mpm .mpv .mpa
	audio/mpeg	MPEG audio	.mpeg .mpg .m1s .m1a .mp2 .mpm .mpa .m2a
	audio/x-mpeg	MPEG audio	.mpeg .mpg .m1s .m1a .mp2 .mpm .mpa .m2a
	video/3gpp	3GPP media	.3gp .3gpp

Name: QuickTime Plug-in 7.7.1

Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.

Version: 7.7.1 (1680.42)

Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin5.dll

Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	audio/3gpp	3GPP media	.3gp .3gpp
	video/3gpp2	3GPP2 media	.3g2 .3gp2
	audio/3gpp2	3GPP2 media	.3g2 .3gp2
	video/sd-video	SD video	.sdv
	application/x-mpeg	AMC media	.amc
	video/mp4	MPEG-4 media	.mp4
	audio/mp4	MPEG-4 media	.mp4
	audio/x-m4a	AAC audio	.m4a
	audio/x-m4p	AAC audio (protected)	.m4p
	audio/x-m4b	AAC audio book	.m4b

Name: QuickTime Plug-in 7.7.1

Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.

Version: 7.7.1 (1680.42)
Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin6.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	video/x-m4v	Video (protected)	.m4v
	image/x-macpaint	MacPaint image	.pntg .pnt .mac
	image/pict	PICT image	.pict .pic .pct
	image/x-pict	PICT image	.pict .pic .pct
	image/png	PNG image	.png
	image/x-png	PNG image	.png
	image/x-quicktime	QuickTime image	.qtif .qti
	image/x-sgi	SGI image	.sgi .rgb
	image/targa	TGA image	.tga

Name: QuickTime Plug-in 7.7.1
Description: The QuickTime Plugin allows you to view a wide variety of multimedia content in Web pages. For more information, visit the [QuickTime](#) Web site.

Version: 7.7.1 (1680.42)
Location: C:\Program Files (x86)\QuickTime\plugins\npqtplugin7.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	image/tiff	TIFF image	.tif .tiff
	image/x-tiff	TIFF image	.tif .tiff
	image/jp2	JPEG2000 image	.jp2
	image/jpeg2000	JPEG2000 image	.jp2
	image/jpeg2000-image	JPEG2000 image	.jp2
	image/x-jpeg2000-image	JPEG2000 image	.jp2

[Disable](#)

☐ Always allowed

NPCIG.dll - Version: 1, 0, 0, 5
CANON iMAGE GATEWAY Mycamera Plugin
Name: NPCIG.dll
Description: CANON iMAGE GATEWAY Mycamera Plugin
Version: 1, 0, 0, 5
Location: C:\Program Files (x86)\Canon\MyCamera Download Plugin\NPCIG.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-canon-cig	Canon Online Photo Plugin Module	.cig

[Disable](#)

☐ Always allowed

Google Earth Plugin - Version: 6.1.0.5001
GEPlugin
Name: Google Earth Plugin
Description: GEPlugin
Version: 6.1.0.5001
Location: C:\Program Files (x86)\Google\Google Earth\plugin\npgeplugin.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/geplugin	GEPlugin	

[Disable](#)

☐ Always allowed

Google Update - Version: 1.3.21.123
Name: Google Update
Version: 1.3.21.123
Location: C:\Program Files (x86)\Google\Update\1.3.21.123\npGoogleUpdate3.dll
Type: NPAPI

[Disable](#)

[Disable](#)

☐ Always allowed

Java (2 files) - Version: 6.0.370.6

Next Generation Java Plug-in 1.6.0_37 for Mozilla browsers

Name: Java(TM) Platform SE 6 U37

Description: Next Generation Java Plug-in 1.6.0_37 for Mozilla browsers

Version: 6.0.370.6

Location: C:\Program Files (x86)\Java\jre6\bin\plugin2\npjp2.dll

Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-java-applet	Java Applet	
	application/x-java-bean	JavaBeans	
	application/x-java-vm		
	application/x-java-applet;version=1.1.1		
	application/x-java-bean;version=1.1.1		
	application/x-java-applet;version=1.1		
	application/x-java-bean;version=1.1		
	application/x-java-applet;version=1.2		
	application/x-java-bean;version=1.2		
	application/x-java-applet;version=1.1.3		
	application/x-java-bean;version=1.1.3		
	application/x-java-applet;version=1.1.2		
	application/x-java-bean;version=1.1.2		
	application/x-java-applet;version=1.3		
	application/x-java-bean;version=1.3		
	application/x-java-applet;version=1.2.2		
	application/x-java-bean;version=1.2.2		
	application/x-java-applet;version=1.2.1		
	application/x-java-bean;version=1.2.1		
	application/x-java-applet;version=1.3.1		
	application/x-java-bean;version=1.3.1		
	application/x-java-applet;version=1.4		
	application/x-java-bean;version=1.4		
	application/x-java-applet;version=1.4.1		
	application/x-java-bean;version=1.4.1		
	application/x-java-applet;version=1.4.2		
	application/x-java-bean;version=1.4.2		
	application/x-java-applet;version=1.5		
	application/x-java-bean;version=1.5		
	application/x-java-applet;version=1.6		
	application/x-java-bean;version=1.6		
	application/x-java-applet;jpi-version=1.6.0_37		
	application/x-java-bean;jpi-version=1.6.0_37		
	application/x-java-vm-npruntime		

Name: Java Deployment Toolkit 6.0.370.6

Description: NPRuntime Script Plug-in Library for Java(TM) Deploy

Version: 6.0.370.6

Location: C:\Windows\SysWOW64\npdeployJava1.dll

Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/java-deployment-toolkit		

[Disable](#)

☐ Always allowed

Windows Live® Photo Gallery - Version: 14.0.8051.1204_ship.wlx.w3m3 (ship)

NPWLPG

Name: Windows Live® Photo Gallery

Description: NPWLPG
Version: 14.0.8051.1204_ship.wlx.w3m3 (ship)
Location: C:\Program Files (x86)\Windows Live\Photo Gallery\NPWLPG.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-wlpg3-detect	Windows Live® Photo Gallery	.wlp
	application/x-wlpg-detect	Windows Live® Photo Gallery	.wlp

[Disable](#)



Always allowed

iTunes Application Detector - Version: 1.0.1.1

iTunes Detector Plug-in

Name: iTunes Application Detector
Description: iTunes Detector Plug-in
Version: 1.0.1.1
Location: C:\Program Files (x86)\iTunes\Mozilla Plugins\npitunes.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/itunes-	This plug-in detects the presence of iTunes when opening iTunes Store URLs in a web page	

[Disable](#)



Always allowed

RealNetworks(tm) Chrome Background Extension Plug-In (32-bit) - Version: 15.0.6.14

RealNetworks(tm) RealPlayer Chrome Background Extension Plug-In

Name: RealNetworks(tm) Chrome Background Extension Plug-In (32-bit)
Description: RealNetworks(tm) RealPlayer Chrome Background Extension Plug-In
Version: 15.0.6.14
Location: C:\ProgramData\Real\RealPlayer\BrowserRecordPlugin\MozillaPlugins\nprpchomebrowserrecordext.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-m-rpchomebgext-plugin	RealNetworks(tm) RealPlayer Chrome Background Extension Plug-In	.rpe

[Disable](#)



Always allowed

RealPlayer (3 files) - Version: 15.0.6.14

RealPlayer(tm) HTML5VideoShim Plug-In

Name: RealPlayer(tm) HTML5VideoShim Plug-In (32-bit)
Description: RealPlayer(tm) HTML5VideoShim Plug-In
Version: 15.0.6.14
Location: C:\ProgramData\Real\RealPlayer\BrowserRecordPlugin\MozillaPlugins\nprphtml5videoshim.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	application/x-rp-html5videoshim-plugin	RealPlayer(tm) HTML5VideoShim Plug-In	.rh5

Name: RealPlayer(tm) G2 LiveConnect-Enabled Plug-In (32-bit)
Description: RealPlayer(tm) LiveConnect-Enabled Plug-In
Version: 15.0.6.14
Location: c:\program files (x86)\real\realplayer\Netscape6\npp13260.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
	audio/x-pn-realaudio-plugin	RealPlayer(tm) as Plug-in	.rpm

Name: RealPlayer Download Plugin
Version: 15.0.6.14
Location: c:\program files (x86)\real\realplayer\Netscape6\nprpplugin.dll
Type: NPAPI

[Disable](#)

MIME types:	MIME type	Description	File extensions
-------------	-----------	-------------	-----------------

application/vnd.m-realplayer-javascript RealPlayer Download Plugin .rpj

[Disable](#) ☐ Always allowed

Silverlight - Version: 5.1.10411.0
Name: Silverlight Plug-In
Version: 5.1.10411.0
Location: c:\Program Files (x86)\Microsoft Silverlight\5.1.10411.0\npctrl.dll
Type: NPAPI
[Disable](#)
MIME types:

MIME type	Description	File extensions
application/x-silverlight	npctrl	.scr
application/x-silverlight-2		

[Disable](#) ☐ Always allowed

RealJukebox NS Plugin - Version: 15.0.6.14
RealJukebox Netscape Plugin
Name: RealJukebox NS Plugin
Description: RealJukebox Netscape Plugin
Version: 15.0.6.14
Location: c:\program files (x86)\real\realplayer\Netscape6\nprjplug.dll
Type: NPAPI
[Disable](#)
MIME types:

MIME type	Description	File extensions
none	RealJukebox NS Plugin File	.none

[Disable](#) ☐ Always allowed